

NFRC/WERS Certified Product Directory

Product: 130 Series Fixed Window – Single Glazing

Glazing Type	Cooling Stars	Heating Stars	Uw	SHGCw
4 Clear	☆	★★★☆☆	6.0	0.79
4 Green	☆☆	★★★☆☆	6.0	0.63
4 Grey	☆☆	★★★☆☆	6.0	0.61
5 Clear	☆	★★★★	5.9	0.78
5 Green	☆	★★★★	5.9	0.78
5 Grey	☆☆	★★★☆☆	5.9	0.58
5 Bronze	☆☆	★★★☆☆	5.9	0.63
5 Evergreen	☆☆	★★★☆☆	5.9	0.54
5 Dark Grey	☆☆	★★★☆☆	5.9	0.53
6 Clear	☆	★★★☆☆	5.9	0.76
6 Green	☆☆	★★★☆☆	5.9	0.57
6 Grey	☆☆	★★★☆☆	5.9	0.54
6 Bronze	☆☆	★★★☆☆	5.9	0.58
6 Panasap Dark Blue	☆☆	★★★☆☆	5.9	0.55
6 Arctic Blue	☆☆	★★★☆☆	5.9	0.48
6 Evergreen	☆☆	★★★☆☆	5.9	0.49
6 Azuria	☆☆	★★★☆☆	5.9	0.48
6 OptiGray	☆☆☆	★★☆☆	5.9	0.40
6.38 Clear Laminate	☆	★★★★	5.8	0.74
6.38 Green Laminate	☆	★★★☆☆	5.8	0.68
6.38 Grey Laminate	☆☆	★★★☆☆	5.8	0.58
6.38 Cool Blue Laminate	☆	★★★☆☆	5.9	0.70
6.38 Sky Blue Laminate	☆☆	★★★☆☆	5.8	0.64
6.38 Evergreen Laminate	☆☆☆	★★★☆☆	5.8	0.46
6.38 Solarplus TS30 Clear Laminate	☆☆☆	★★☆☆	5.9	0.38
6.76 Clear Laminate	☆	★★★★	5.8	0.73
4 Sungate500 Low E	☆☆	★★★★★	4.1	0.68
6 Eclipse Advantage Clear Low-E	☆☆	★★★★★	4.1	0.58
6 Eclipse Advantage Blue Green Low E	☆☆☆	★★★★☆☆	4.1	0.43
6 Eclipse Advantage Grey Low E	☆☆☆☆	★★★★★	4.1	0.39
6 Eclipse Advantage Arctic Blue Low E	☆☆☆☆	★★★★★	4.1	0.34
6 Eclipse Advantage Evergreen Low E	☆☆☆☆	★★★★★	4.1	0.34
4 Energy Advantage Low E	☆☆	★★★★★☆☆	3.9	0.66
6 Energy Advantage Low E	☆☆	★★★★★☆☆	3.9	0.65
6.38 Solect Clear Low E Laminate	☆☆	★★★★★	3.9	0.63
6.38 Solect Green Low E Laminate	☆☆☆	★★★★☆☆	3.9	0.46
6.38 Solect Grey Low E Laminate	☆☆☆☆	★★★★☆☆	3.9	0.41
6.38 ComfortPlus Clear Low E Laminate	☆☆	★★★★★☆☆	3.9	0.64
6.38 ComfortPlus Neutral Low E Laminate	☆☆☆	★★★★☆☆	3.9	0.48
6.38 ComfortPlus Green Low E Laminate	☆☆☆	★★★★☆☆	3.9	0.47
6.38 ComfortPlus Grey Low E Laminate	☆☆☆	★★★★☆☆	3.9	0.47

NOTES

1. Uw is the whole window *U-value*
2. SHGCw is the whole window *solar heat gain coefficient*
3. Static performance (Uw SHGCw) calculated using Window 5.2 and Therm 5.2 software (LBNL), 2000-2003
4. Annual energy performance stars calculated using Nationwide House Energy Rating Software (AccuRate) according to procedures of WERS 2008.
5. Results disclosed at National Fenestration Rating Council (NFRC) regulations.