

# NFRC/WERS Certified Product Directory

## Product: 131 Series Fixed Window – Single Glazing

Glazing Type	Cooling Stars	Heating Stars	Uw	SHGCw
4 Clear	☆	★★☆	6.2	0.77
4 Green	☆☆	★★	6.2	0.62
4 Grey	☆☆	★★	6.2	0.60
4 Azuria	☆☆	★★☆	6.2	0.52
5 Clear	☆	★★☆	6.2	0.76
5 Green	☆☆	★★	6.2	0.59
5 Grey	☆☆	★★	6.2	0.57
5 Evergreen	☆☆	★★	6.2	0.53
5 Dark Grey	☆☆	★★☆	6.2	0.52
6 Clear	☆	★★☆	6.2	0.75
6 Green	☆☆	★★	6.2	0.56
6 Grey	☆☆	★★	6.2	0.53
6 Bronze	☆☆	★★	6.2	0.57
6 Panasap Dark Blue	☆☆	★★	6.2	0.54
6 Arctic Blue	☆☆	★★☆	6.2	0.48
6 Evergreen	☆☆	★★☆	6.2	0.48
6 Azuria	☆☆	★★☆	6.2	0.47
6 OptiGray	☆☆☆	★★☆	6.2	0.40
6.38 Clear Laminate	☆	★★☆	6.1	0.73
6.38 Green Laminate	☆	★★☆	6.1	0.66
6.38 Grey Laminate	☆☆	★★	6.1	0.57
6.38 Cool Blue Laminate	☆	★★☆	6.1	0.68
6.38 Sky Blue Laminate	☆	★★	6.1	0.63
6.38 Evergreen Laminate	☆☆	★★☆	6.1	0.46
6.38 Solarplus TS30 Clear Laminate	☆☆☆	★★☆	6.1	0.38
6.76 Clear Laminate	☆	★★☆	6.0	0.72
6.76 Solutia Acoustic Laminate	☆	★★☆	6.0	0.65
4 Sungate500 Low E	☆☆	★★★★	4.4	0.67
6 Eclipse Advantage Clear Low-E	☆☆	★★★☆☆	4.4	0.57
6 Eclipse Advantage Blue Green Low E	☆☆☆	★★★★	4.4	0.42
6 Eclipse Advantage Grey Low E	☆☆☆☆	★★★★	4.4	0.38
6 Eclipse Advantage Arctic Blue Low E	☆☆☆☆	★★★☆☆	4.4	0.34
6 Eclipse Advantage Evergreen Low E	☆☆☆☆	★★★☆☆	4.4	0.34
4 Energy Advantage Low E	☆☆	★★★★	4.3	0.65
6 Energy Advantage Low E	☆☆	★★★★	4.2	0.65
6.38 Solect Clear Low E Laminate	☆☆	★★★★	4.2	0.62
6.38 Solect Green Low E Laminate	☆☆☆	★★★☆☆	4.2	0.46
6.38 Solect Grey Low E Laminate	☆☆☆	★★★★	4.2	0.41
6.38 ComfortPlus Clear Low E Laminate	☆☆	★★★★	4.2	0.63
6.38 ComfortPlus Neutral Low E Laminate	☆☆☆	★★★☆☆	4.2	0.47
6.38 ComfortPlus Green Low E Laminate	☆☆☆	★★★☆☆	4.2	0.47
6.38 ComfortPlus Grey Low E Laminate	☆☆☆	★★★☆☆	4.2	0.46

### NOTES

1. Uw is the whole window *U-value*
2. SHGCw is the whole window *solar heat gain coefficient*
3. Static performance (Uw SHGCw) calculated using Window 5.2 and Therm 5.2 software (LBNL), 2000-2003
4. Annual energy performance stars calculated using Nationwide House Energy Rating Software (AccuRate) according to procedures of WERS 2008.
5. Results disclosed at National Fenestration Rating Council (NFRC) regulations.