


SECTION DATA:
 $I_{xx} = 18\,453 \text{ mm}^4$
 $I_{yy} = 18\,453 \text{ mm}^4$
 Theta = 1.0
 RadG_x = 9. mm
 RadG_y = 9. mm
 XQ_{left} = 12.5 mm
 XC_{right} = 12.5 mm
 YQ_{top} = 12.5 mm
 YQ_{bot} = 12.5 mm
 Z_x_{top} = 1.476 mm
 Z_x_{bot} = 1.476 mm
 Z_y_{left} = 1.476 mm
 Z_y_{right} = 1.476 mm

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

NO	DATE	DR	REVISION
			A

AREA	219.6	SQ MM
WEIGHT	0.595	KG M
PERIMETER	175.7	MM
ANOD PERIM	95.7	MM
PAINT PERIM	100.0	MM
C CIRCLE DIA	33.	MM
FACTOR	295.	
ALLOY	6063	
TEMPER	T6	



A.C.N 010 828 234
 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009
 PO BOX 1376, EAGLE FARM BC, 4009
 PHONE : (07) 3877 2833 FAX : (07) 3877 2890

CUSTOMER			
G.JAMES EXTRUSION Co.			
CUSTOMER PART NAME		NO.	
25 x 2.5 SQUARE TUBE R\C			
SCALE		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED	
2:1			
DRAWN	CHECK	DATE	DWG. NO.
A.T		01/02/94	931-021