


SECTION NO.

950-099



TOTAL SURFACE EXPOSED

NOTE:

ALTERNATIVE ALLOY & TEMPER:
--> 6351 --> T4

SECTION DATA:

 $I_{xx} = 38\,943 \text{ mm}^4$ $I_{yy} = 38\,943 \text{ mm}^4$

Theta = 1.0

RadG_x = 11. mmRadG_y = 11. mmXC_{left} = 17.5 mmXC_{right} = 17.5 mmYC_{top} = 17.5 mmYC_{bot} = 17.5 mmZ_{xx}top = 2 225 mm³Z_{xx}bot = 2 225 mm³Z_{yy}left = 2 225 mm³Z_{yy}right = 2 225 mm³3.0 TYP WALL THICKNESS
UNLESS OTHERWISE SPECIFIED0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

NO	DATE	DR	REVISION
			A
			AREA 301.6 SQ MM WEIGHT 0.817 KG M PERIMETER 201.1 MM ANOD PERIM 110.0 MM PAINT PERIM 110.0 MM C CIRCLE DIA 35. MM FACTOR 246. ALLOY 6063 TEMPER T6
 A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1376, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2890			
CUSTOMER		G.JAMES EXTRUSION Co.	
CUSTOMER PART NAME		NO.	
35 x 3.0 ROUND TUBE			
SCALE		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED	
1:1			
DRAWN	CHECK	DATE	DWG. NO.
RB		16/08/90	950-099