



SECTION DATA:
 $I_{xx} = 57\,279 \text{ mm}^4$
 $I_{yy} = 57\,279 \text{ mm}^4$
 $\text{Theta} = 0.$
 $\text{RadG}_x = 12. \text{ mm}$
 $\text{RadG}_y = 12. \text{ mm}$
 $X_{\text{Left}} = 18.5 \text{ mm}$
 $X_{\text{Right}} = 18.5 \text{ mm}$
 $Y_{\text{Top}} = 18.5 \text{ mm}$
 $Y_{\text{Bot}} = 18.5 \text{ mm}$
 $Z_{xx}^{\text{top}} = 3.096 \text{ mm}^3$
 $Z_{xx}^{\text{bot}} = 3.096 \text{ mm}^3$
 $Z_{yy}^{\text{left}} = 3.096 \text{ mm}^3$
 $Z_{yy}^{\text{right}} = 3.096 \text{ mm}^3$

4.0 TYP WALL THICKNESS
UNLESS OTHERWISE SPECIFIED

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

			A	AREA	414.7	SQ MM	 G. James Extrusion Co. A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1376, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2890	CUSTOMER		G.JAMES EXTRUSION Co.		
				WEIGHT	1.124	KG M		CUSTOMER PART NAME		NO.		
				PERIMETER	207.3	MM		37 x 4.0 ROUND TUBE				
				ANOD PERIM	116.2	MM		SCALE		TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED		
				PAINT PERIM	116.2	MM		1:1				
				C CIRCLE DIA	37.	MM		DRAWN		CHECK	DATE	DWG. NO.
				FACTOR	185.			BPW			13/06/90	950-100
				ALLOY	6063							
				TEMPER	T6							
1	22/6/90	BPW	INSIDE DIA 29 WAS 28, W/T WAS 4.5 C/N 526									
NO	DATE	DR	REVISION									